EU Declaration of Conformity

Manufacturer	Contura AB				
Address	Box 134, Skulptörvägen 10				
Address	285 23 Markaryd, Sweden				
E-Mail	info@contura.se				
Website	www.contura.eu				
Telephone	+46 433 275100				



E-Mail				info@contura.se				IIL				
Website				www.contura.eu			V		LUL	·		
Telephone				+46 433 275100								
THIS DECLARATION OF CONFORMIT	Y IS ISS	SUED (JNDER OUR	SOLE RESPON	SIBIL	ITY FOR THE	FOLLOWING	PRODUCT:				
Trade name				Contura i1								
Identification of product			www.contura.eu									
THE OBJECT OF THE DECLARATION	DESCR	IBED A	ABOVE IS IN	CONFORMITY	WITH							
THE RELEVANT UNION HARMONIZAT				THE RELEVAN			TANDARDS:					
DIR 2009/125/EC			EN 13229:2001/A2:2004/AC:2007									
REG (EU) 2015/1185			CEN/TS 15883:2010									
REG (EU) 2015/1186 REG (EU) 2017/1369												
											REG (EU) 305/2011	
TECHNICAL DOCUMENTATION												
Energy efficiency class:				A+								
Direct heat output:				5,0 kW								
Indirect heating functionality:				No								
Energy Efficiency Index (EEI):				107,0								
Test report				KIWA UK, NB 06	92							
							EMISS	IONS AT NOW	IINAL HEAT C	UTPUT		
FUEL			FERRED	OTHER SUITAE	BLE	η _s (%)	PM	OGC	СО	NO _x		
		FUEL		FUEL		J		mg/ Nm ³	(13% O ₂)			
Wood logs with moisture content 25%			Yes	No		70,7	40	120	1500	200		
Compressed wood with moisture content <	12%			Yes		70,7	40	120	1500	200		
Other woody biomass	/ U	No No		No		, 0,,	70	120	1300	200		
Non-wood biomass		No		No						+		
Anthracite and dry steam coal			No	No						+		
Hard coke			No	No								
Low temperature coke	No			No								
Bituminous coal			No	No						+		
Lignite briquettes				No		No						
Peat briquettes			No	No								
Blended fossil fuel briquettes		No		No								
Other fossil fuel		No		No						1		
Blended biomass and fossil fuel briquettes		No		No						1		
Other blend of biomass and solid fuel		No		No								
CHARACTERISTICS WHEN OPERATIN	IG WITH	THE										
ITEM	_		T		ITE	M		SYMBOL	VALUE	UNIT		
HEAT OUTPUT							ENCY, BASED	ON NET CAL				
Nominal heat output:	P _{no}	om	5,0	kW	Useful efficiency at nominal heat output		η _{th,nom}	80,7	%			
AUXILIARY ELECTRICITY CONSUMPTION				TYPE OF HEAT OUTPUT/ROOM TEMPERATURE CONTROL								
At nominal heat output	el _{max} -		-	kW	Single stage heat output, no roo			n temperature control				
At minimum heat output	el		-	kW		Single stage heat output, no room temperature control Yes Two or more manual stages, no room temperature control No						
In standby mode	el		-	kW			<u> </u>	temperature co		No		
						h electronic ro				No		
					Wit	h electronic ro	om temperatu	re control plus (day timer	No		
				With electronic room temper								
						HER CONTRO	•					
								presence detec	tion	No		
							,			+		
					Roo	m temperature	control, with	open window de	etection	No		

The undersigned is responsible for the manufacture and conformity with the declared performance.



