



Calcium silicate board – safe and versatile

Calcium silicate is an extremely durable material that resists temperatures up to 1000°C and is easily worked with standard tools. Contura COSI comes as ready-to-build kits. This cuts down on installation time and gives you greater flexibility when choosing where to position your fireplace. The material has a high insulation performance which means your fireplace can be installed directly against a combustible wall and close to combustible materials. Everything you need for installation is included



Tall, glass on 3 sides.



Tall, glass on 2 sides, right or left.



Low, glass on 3 sides.

COSI surround kit for Ci8 cassettes

Tall options are designed for a ceiling height of $2500 \ \mathrm{mm}$

Lowest ceiling height of 2330 mm for tall options

Can be installed directly against a combustible wall thanks to the built-in protective screen.

Extension kit 600 mm is an optional extra

Discreet air intake for convection air at the base

Available for all Ci8 cassettes

Details




Tall, glass on 3 sides

Height (mm)	2480
Width (mm)	725
Depth (mm)	450
Weight (kg) excl. cassette	68



Tall, glass on 2 sides, right or left

Height (mm)	2480
Width (mm)	835
Depth (mm)	450
Weight (kg) excl. cassette	78





Height (mm)	1650
Width (mm)	725
Depth (mm)	450
Weight (kg) excl. cassette	55

Optional extras: Extension kit 60 cm, hearth plate and outside air connection.

The price includes calcium silicate boards, cassette, screws, filler, corner protectors, heat-resistant adhesive and a hot air grille (paint is not included).

Dimensions

