## **EU Declaration of Conformity**

Manufacturer	NIBE AB / Contura
Addison	Box 134, Skulptörvägen 10
Address	285 23 Markaryd, Sweden
E-Mail	info@contura.se
Website	www.contura.eu
Telephone	+46 433 275100



E-Maii				info@contura.se	1						
Website				www.contura.eu			V	IIL	lu	IL	
Telephone				+46 433 275100							
THIS DECLARATION OF CONFORMITY	Y IS ISSU	JED UND	ER OUR	SOLE RESPON	ISIBILI	TY FOR THE	FOLLOWING	PRODUCT:			
Trade name				Contura i5 / i6							
Identification of product  THE OBJECT OF THE DECLARATION DESCRIBED ABOVE IS IN  THE PER PLANT LINEAR MARKET AT ION LEGISLATION.			VE IC IN	www.contura.eu							
THE RELEVANT UNION HARMONIZATION LEGISLATION:			v.	THE RELEVANT HARMONIZED STANDARDS:							
DIR 2009/125/EC				EN 13229:2001/A2:2004/AC:2007							
REG (EU) 2015/1185 REG (EU) 2015/1186 REG (EU) 2017/1369				CEN/TS 15883:2010							
REG (EU) 305/2011											
TECHNICAL DOCUMENTATION											
Indirect heating functionality:				No							
Direct heat output:				5,0 kW							
Energy Efficiency Index (EEI):				103,1							
Test report				RRF 29 12 3029	7 / RRF	29 14 3532,	NB 1625				
		PREFERRED FUEL		OTHER CHITAI	DI E		EMISS	IONS AT NOM	INAL HEAT O	JTPUT	
FUEL				OTHER SUITAE FUEL	DLE	η <sub>s</sub> (%)	PM	OGC	CO	NO <sub>x</sub>	
		_						mg/ Nm <sup>3</sup>	(13% 0 <sub>2</sub> )		
Wood logs with moisture content 25%		Yes		No		68,0	40	120	1500	200	
Compressed wood with moisture content <				Yes		68,0	40	120	1500	200	
Other woody biomass		No		No		·					
Non-wood biomass		No		No							
Anthracite and dry steam coal		No		No							
Hard coke		No		No							
Low temperature coke		No		No							
Bituminous coal		No		No							
Lignite briquettes		No		No							
Peat briquettes		No		No							
Blended fossil fuel briquettes		No		No							
Other fossil fuel				No							
Blended biomass and fossil fuel briquettes	,			No							
Other blend of biomass and solid fuel	,	No No		No							
CHARACTERISTICS WHEN OPERATIN	IG WITH 1		FFRRF								
ITEM	SYMBO		VALUE	UNIT	ITEN	м		SYMBOL	VALUE	UNIT	
HEAT OUTPUT	0	-	7,1202		_		ENCY. BASED	ON NET CAL	l		
Nominal heat output:	P <sub>nom</sub> 5,0		kW	Usef	Useful efficiency at nominal heat output		η <sub>th,nom</sub>	78,0	%		
AUXILIARY ELECTRICITY CONSUMPT	ION				TYP	E OF HEAT	OUTPUT/ROC	M TEMPERAT	URE CONTRO	L	
At nominal heat output	el		-	kW	Sing	le stage heat	output, no roo	m temperature	control	Yes	
At minimum heat output		el <sub>min</sub> -		kW	Two or more manual stages, no room temperature control					No	
In standby mode	el <sub>sв</sub>		-	kW	With	n mechanic th	ermostat room	temperature co	ontrol	No	
					With	n electronic ro	om temperatu	re control		No	
					With	n electronic ro	om temperatu	re control plus o	lay timer	No	
					_			re control plus v	_	No	
							OL OPTIONS				
					Roor	m temperatur	e control, with	presence detec	tion	No	
					1			presence detection open window de		No No	

The undersigned is responsible for the manufacture and conformity with the declared performance.

Niklas Gunnarsson, Business area manager NIBE STOVES

Markaryd, January 1, 2022