







Calcium silicate board – safe and versatile

Calcium silicate is an extremely durable material that resists temperatures up to 1000°C and is easily worked with standard tools. Contura COSI comes as ready-to-build kits. This cuts down on installation time and gives you greater flexibility when choosing where to position your fireplace. The material has a high insulation performance which means your fireplace can be installed directly against a combustible wall and close to combustible materials. Everything you need for installation is included



Tall, glass on 3 sides.



Tall, glass on 2 sides, right or left.



Low, glass on 3 sides.

COSI surround kit for Ci8 cassettes

Tall options are designed for a ceiling height of $2500 \ \mathrm{mm}$

Lowest ceiling height of 2330 mm for tall options

Can be installed directly against a combustible wall thanks to the built-in protective screen.

Extension kit 600 mm is an optional extra

Discreet air intake for convection air at the base

Available for all Ci8 cassettes

Details



Tall, glass on 3 sides

Height (mm)	2480
Width (mm)	725
Depth (mm)	450
Weight (kg) excl. cassette	68



Tall, glass on 2 sides, right or left

Height (mm)	2480
Width (mm)	835
Depth (mm)	450
Weight (kg) excl. cassette	78



Low, glass on 3 sides

Height (mm)	1650
Width (mm)	725
Depth (mm)	450
Weight (kg) excl. cassette	55

Optional extras: Extension kit 60 cm, hearth plate and outside air connection.

The price includes calcium silicate boards, cassette, screws, filler, corner protectors, heat-resistant adhesive and a hot air grille (paint is not included).

Dimensions













