

*Contura*




**41**  
**Stove**

# Excellence in every detail

The Contura i41 stove has long been popular for its unique design with an angled door. Now available with an updated design – its timeless elegance has been enhanced, features have been refined and an even wider array of options allow you to customise it to your style. The Contura i41 lets you enjoy the view of the fire from around the room. The glass door can be positioned on the right or left corner and provides a wide and clear view of the flames. It opens smoothly upwards, making the Contura i41 as much of a joy to use as it is to look at.

The redesigned Contura i41 has been slimmed by 90 mm to a width of 820 mm, offering greater scope for positioning the stove and giving the fire the pride of place it deserves in your home



Contura i41A Anthracite, right with bench





# More choice than ever

The Contura i41 can be customised to perfectly complement your home. The surround is available in a choice of materials; sleek black or white metal, heat-retaining soapstone with its natural pattern, and Contura's unique concrete Artstone White, Artstone Natural and Artstone Anthracite. You also have the option to enhance heat storage with internal power stones, which will keep your home at a comfortable temperature for longer by gradually releasing the heat they absorb.

## Add an extra touch with a bench and log box

You can further enhance the appeal of your Contura i41 by adding a bench as a stylish detail. **The bench comes in a choice of metal and Artstone.** The log box is available in two sizes as an additional bespoke option.



400 mm wide




650 mm wide

**Contura i41A** Artstone, Natural




**Contura i41** White metal with bench (option)







**Contura i40** insert  
front



**Contura i40** insert  
left side



**Contura i41**  
side



**Contura i41**  
front right

# Simple to install. Safe to use.

## Integrated air supply system

The Contura i41 can be fitted with a concealed air supply duct (optional accessory) that is integrated with the chimney, allowing the insert to retain its attractive design externally. The air supply does not have to come through an external wall or the foundation, giving you more flexibility in where you can position your stove

## Heat adjustment

The Contura i41 features a practical heat output control that allows for easy and precise regulation of the combustion.

# Wood burning the smarter way

## Innovative properties

Thanks to a high efficiency burn, you won't need much wood to heat your home. The Contura i41 also features HR glass that reduces emissions and reflects the radiant heat back into the firebox. This creates cleaner flames and fills your home with more comfortable heat.

The integrated booster lets you "save" embers that have nearly died. Simply open the damper fully to let oxygen flow into the stove and blow life into the embers to set the new wood alight.

- Nominal output: 8 kW
- Efficiency: 81%
- Booster
- HR glass from Contura







# Specifications



**Contura i40** Insert

Height (mm)	<b>1526</b>
Width (mm)	<b>740</b>
Depth (mm)	<b>485</b>
Net weight (kg)	<b>160</b>
Max. log length (cm)	<b>50</b>
Max. heating area (m <sup>2</sup> )	<b>150</b>
Output (kW)	<b>5–10</b>
Efficiency (%)	<b>81</b>
Energy efficiency category	<b>A<sup>+</sup></b>



**Contura i41** Metal, Black

Height (mm)	<b>1650</b>
Width (mm)	<b>820</b>
Depth (mm)	<b>500</b>
Net weight (kg)	<b>245</b>
Max. log length (cm)	<b>50</b>
Max. heating area (m <sup>2</sup> )	<b>150</b>
Output (kW)	<b>5–10</b>
Efficiency (%)	<b>81</b>
Energy efficiency category	<b>A<sup>+</sup></b>



**Contura i41** Metal, White

Height (mm)	<b>1650</b>
Width (mm)	<b>820</b>
Depth (mm)	<b>500</b>
Net weight (kg)	<b>245</b>
Max. log length (cm)	<b>50</b>
Max. heating area (m <sup>2</sup> )	<b>150</b>
Output (kW)	<b>5–10</b>
Efficiency (%)	<b>81</b>
Energy efficiency category	<b>A<sup>+</sup></b>



**Contura i41T** Soapstone

Height (mm)	<b>1650</b>
Width (mm)	<b>820</b>
Depth (mm)	<b>500</b>
Net weight (kg)	<b>420</b>
Max. log length (cm)	<b>50</b>
Max. heating area (m <sup>2</sup> )	<b>150</b>
Output (kW)	<b>5–10</b>
Efficiency (%)	<b>81</b>
Energy efficiency category	<b>A<sup>+</sup></b>

The illustrations show the door positioned on the right.



**Contura i41A Artstone,**  
Anthracite\*

Height (mm)	<b>1650</b>
Width (mm)	<b>820</b>
Depth (mm)	<b>500</b>
Net weight (kg)	<b>355</b>
Max. log length (cm)	<b>50</b>
Max. heating area (m <sup>2</sup> )	<b>150</b>
Output (kW)	<b>5–10</b>
Efficiency (%)	<b>81</b>
Energy efficiency category	<b>A<sup>+</sup></b>

\*Variations in colour tone occur



**Contura i41A Artstone, Natural**

Height (mm)	<b>1650</b>
Width (mm)	<b>820</b>
Depth (mm)	<b>500</b>
Net weight (kg)	<b>355</b>
Max. log length (cm)	<b>50</b>
Max. heating area (m <sup>2</sup> )	<b>150</b>
Output (kW)	<b>5–10</b>
Efficiency (%)	<b>81</b>
Energy efficiency category	<b>A<sup>+</sup></b>



**Contura i41A Artstone, White**

Height (mm)	<b>1650</b>
Width (mm)	<b>820</b>
Depth (mm)	<b>500</b>
Net weight (kg)	<b>355</b>
Max. log length (cm)	<b>50</b>
Max. heating area (m <sup>2</sup> )	<b>150</b>
Output (kW)	<b>5–10</b>
Efficiency (%)	<b>81</b>
Energy efficiency category	<b>A<sup>+</sup></b>



# A warm welcome home.

# Relax in comfort with Contura.

For more details about our stoves, please visit  
[contura.eu](http://contura.eu)



*Contura*

NIBE AB  
Box 134

SE-285 23 Markaryd, Sweden  
Tel. +46 (0)433 27 51 00  
[contura.eu](http://contura.eu)

**NIBE** GROUP MEMBER

